# **Issels Immuno-Oncology**

### Inoperable Malignant Teratoma

Complete Long Term Remission Of An Inoperable Malignant Teratoma Achieved Through The Issels Treatment without Standard Treatment

J.G., Born 1961, file No. 204/70

9 years cancer free, patient leading normal healthy life.

TREATMENT HISTORY First Diagnosis | Standard Treatment | Issels Treatment



**First Diagnosis** 

#### November 1969

Clinical diagnosis, Dr. Offer, Innsbruck: Inoperable pelvic tumor of the size of a child's head, firmly adherent to sacrum and rectum.

Histology, University of Innsbruck: Malignant teratoma.

**Standard / Conventional Treatment** 

November 1969 to January 1970

Treatment: Radiation.

Result: Low grade diminution, then again progression.

**Issels Treatment** 

#### February 1970

Admission to Dr. Issels' hospital.

Findings upon admission by independent specialists: Hypogastrium is filled up to the umbilical region with a hard knobby firmly adherent tumor; lymph-node of dove-egg size in the inguinal area, (whole abdomen filled with tumor mass).

## **Issels Immuno-Oncology**

#### February to May 1970

Twelve weeks of Issels Treatment (comprehensive immunotherapy). No further Standard Treatment.

May 1970

Partial remission.

Primary tumor shrunk to fist size.

Complete remission of lymph-node in the groin.

<u>October 1970</u>

Complete remission of primary tumor.

Follow-up until 1979

9 years cancer free, patient leading normal healthy life.

DISCLAIMER: No claim is made that patients with similar diagnosis and/or treatment(s) will respond to the same extent as the patients shown. All testimonials have been provided voluntarily to share a patient's experience with the Issels Treatment and their state of health at the time. Some patients may have passed away due to age or disease. None of these patients received compensation or are related to the Issels Treatment Centers.