Issels Immuno-Oncology

Inoperable Kidney Cancer of the Size of a Child's Head with Infiltrative Growth into the Peritoneum

Inoperable Kidney Cancer of the Size of a Child's Head with Infiltrative Growth into the Peritoneum rendered operable through the Immunobiological Issels Treatment and Chemotherapy.

Patient H. M., Born 1920, File 208/70

1,2 years without recurrence. Report 2 years later stated well-being.

TREATMENT HISTORY First Diagnosis | Issels Treatment

First Diagnosis

January 1970

Diagnosis: Inoperable left-sided Kidney Tumor of the size of a child's head with broad infiltrative growth into the peritoneum, inferior vena cava and paraaortal lymphnodes.

Histology: Hypernephroid cancer of the kidney.

Treatment: Exploratory surgery. **No Debulking. No Radiation, No Chemotherapy.**

Patient considered incurable.

Issels Treatment

February 1970

Admission Exam: Immovable adherent kidney tumor left side extending close to the median line and to the umbilical line.

March 1970

Control Exam: Left-sided kidney tumor of the size of two fists.

February to May 1970

Issels Treatment: 12 weeks of in-patient immunobiological Issels Treatment combined with 4 x 0,5 mg Actinomycine D.

September 1970

Control Exam: Tumor is now freely moveable and surgery is possible.

Issels Immuno-Oncology

October 1970

Control Exam: Tumor size 19 x 15 cm.

Histology: Hypernephroid carcinoma of the kidney with infiltrative growth into the left suprarenal tissue.

Treatment : Radical resection possible.

Follow-up until 1971

1,2 years without recurrence. Report 2 years later stated well-being